Google

constant pool Class static Area | Search | Advanced Search / Preferences

Web

Results **1 - 10** of about **179,000** for <u>constant pool Class static Area</u>. (0.26 seconds)

The Java **class** file lifestyle
... a **class** file contain the magic and version numbers, that the **constant pool**
starts on the ... **class** Act { public **static** void doMathForever() { int i = 0; ...
www.javaworld.com/javaworld/ jw-07-1996/jw-07-classfile.html - 16k - Feb 1, 2005
- Cached - Similar pages

cs427: Kaffe - **Class Pool**
... the **constant pool** for the type, field information, method information, ... Kaffe
calls its hash table, which is actually method **area**, as **Class Pool**. ...
wiki.cs.uiuc.edu/cs427/Kaffe+-+Class+Pool - 8k - Cached - Similar pages

Cindy's Segment - a Whimsical View of the World Segment 5: Second ...
... out of this Method **Area** is a thing called the "Runtime **Constant Pool**", ... the **Class**, the
name of the **Class** itself is a **constant** in the **Constant Pool**. ...
www.javaranch.com/newsletter/July2002/Strings.html - 10k - Cached - Similar pages

Java programming dynamics, Part 1: **Classes** and **class** loading
... just that the **constant pool** contains all the references to other **classes** and ... However,
the Greeter **class** uses a **static** instance of the Message **class**, ...
www-106.ibm.com/developerworks/java/library/j-dyn0429/ - 53k - Cached - Similar pages

[PPT] JVM & Jini
File Format: Microsoft Powerpoint 97 - View as HTML
... the found **class** definition (byte code), verify the byte code, create **static** ... **Constant
pool** is a "Symbol table". space where the arguments and local ...
rts-lab.eas.asu.edu/document/JVM.ppt - Similar pages

Slices of Pi Java Applet - an Interactive Illustration of the JVM
... The value of the **static** final PI field of **class** java.lang. ... variables 0 and 1 (pi) // Push
dual-byte value from **constant pool** entry // In this case, ...
www.artima.com/insidejvm/applets/SlicesOfPi.html - 24k - Cached - Similar pages

The **Class** File Lifestyle
... a **class** file contain the magic and version numbers, that the **constant pool** ... **class** Act
{ public **static** void doMathForever() { int i = 0; while (true) ...
www.artima.com/underthehood/classfileP.html - 24k - Cached - Similar pages

Untitled
... Method **Area** (shared) - byte-codes and **constant** pools ... Each **class** has a **constant
pool**, which contains all the **constant** data referenced by the methods ...
www.cs.pdx.edu/~apt/cs510jp_1998/ lecture2/lecture2.html - 18k - Cached - Similar pages

[DOC] Ch2 Program Structures
File Format: Microsoft Word 97 - View as HTML
... several named **constants class** Suit {. final **static** int CLUBS = 1; ... **Constant pool area**
(string **constants** and names of method, **class** and fields) ...
cs.nju.edu.cn/cs2/jiaoxue/course/java/jfilm02.doc - Similar pages

Jasper - ClassFile.java
... super **class** name (via **constant pool** index) private Interface_Collection ... readShort
(); // read the **constant pool** (symbol table **area**) pool = new ...
www.angelfire.com/tx4/cus/jasper/ClassFile.html - 22k - Cached - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Free! Google Desktop Search: Search your own computer.

constant pool Class static Area   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Web   Images   Groups^{New!}   News   Froogle   more »

Google   [Java symbol reference resolution result stored]   [Search]   Advanced Search
Preferences

Web   Results **51 - 60** of about **90,900** for **Java symbol reference resolution result stored**. (0.10 seconds)

[PPT] Chapter 1: Computer Systems
File Format: Microsoft Powerpoint 97 - View as HTML
... **Java**. A programming language specifies the words and **symbols** that we can use
... When **referring** to a pixel in a **Java** program, we use a coordinate system ...
www.csc.uvic.ca/~idkr/csc110/book3/slides/slides01.ppt - Similar pages

VM Spec Structure of the **Java** Virtual Machine
... A **reference** to an object is considered to have **Java** Virtual Machine type ...
Compiled code to be executed by the **Java** Virtual Machine is **stored** in a ...
www.cis.ksu.edu/~sdeloach/ 706/resources/VMspec/Overview.doc.html - 79k - Cached - Similar pages

Jess, the **Java** Expert System Shell - Change History
... can now backwards-chain to get results. run-until-halt now clears halt flag
... Ordered facts now **stored** as unordered with one multislot named __data. ...
rogiteam.udg.es/docencia/ iatm/jess60a2/docs/changes.html - 26k - Cached - Similar pages

[PDF] Unique Renaming of **Java** Using Source Transformation
File Format: PDF/Adobe Acrobat - View as HTML
... declarations and **references** in **Java** programs using source ... The **result** of
this analysis is **stored** in the relationship needlink, ...
www.cs.queensu.ca/home/stl/papers/SCAM03.pdf - Similar pages

[PDF] Towards a Standard Schema for C/C++
File Format: PDF/Adobe Acrobat - View as HTML
... for example **reference resolution** is not a design de- ... can share names
because they are **stored** in different **symbol**. tables. Datrix Schema ...
www.ics.uci.edu/~ses/papers/ferencr_schema.pdf - Similar pages

Detailed Help: Introduction and Starter's Guide Detailed VCMap ...
... which are sequenced and **stored** in various databases like RGD, GenBank, ...
best blast **result** scores between sequences from the Backbone and **Reference** ...
rgd.mcw.edu/tu/vcmap/dthelp_print.shtml - 49k - Cached - Similar pages

[PDF] Example
File Format: PDF/Adobe Acrobat - View as HTML
... BUT, inside the **symbol** table the. identifier is **stored** in the form it was ...
resolution fails. Some hash table implementations,. including **Java**'s ...
www.cs.wisc.edu/~fischer/ cs536.s05/lectures/Lecture05.pdf - Similar pages

[PDF] IMPLEMENTING DYNAMIC SEMANTIC **RESOLUTION**
File Format: PDF/Adobe Acrobat - View as HTML
... dynamic semantic **resolution** (DSR) uses a changing model to guide the ...
for dynamic semantic **resolution**. The results of this work are presented, ...
www.cs.mu.oz.au/~bir/auscc03/ papers/thornton-auscc03b.pdf - Similar pages

VM Spec **Java** Programming Language Concepts
... Prior to being **stored** in the parameter variable, the **result** of such an ...
preparation, and **resolution** of symbolic **references**. The **Java** programming ...
www.isg.inf.ethz.ch/docu/documents/ java/vmspec-2nd/Concepts.doc.html - 156k - Cached - Similar pages

GenePaint.org: an atlas of gene expression patterns in the mouse ...
... (e) the status of annotation (a star **symbol** indicates whether sites of ...

images are **stored** on the GenePaint server in a multi-**resolution** file format. ...
www.pubmedcentral.nih.gov/ articlerender.fcgi?artid=308763 - Similar pages

◀ Goooooooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 101112131415   **Next**

| Java symbol reference resolution res | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Web   Images   Groups^{New!}   News   Froogle   **more »**

Java symbol reference resolution result stored   Search   Advanced Search
Preferences

Web   Results **1 - 10** of about **90,900** for <u>Java **symbol** **reference** **resolution** **result** **stored**</u>. (0.19 seconds)

A <u>Java</u> Cross-**Reference** Tool
... design of a **Java symbol** table manager and its interaction with a **Java** parser.
... Our cross **reference** tool needs to keep track of every **symbol** that is ...
java.sun.com/developer/ technicalArticles/Parser/SeriesPt4/ - 53k - <u>Cached</u> - <u>Similar pages</u>

welcome to educationinfoindia.com
... **Reference** variables, Passing by **reference**, Scope **Resolution** operator, ...
Implementing **Stored** Procedures Introduction to **stored** procedures, Creating, ...
www.educationinfoindia.com/ careernews/informationTechNews3.htm - 24k - <u>Cached</u> - <u>Similar pages</u>

welcome to educationinfoindia.com
... **Reference** variables, Passing by **reference**, Scope **Resolution** operator, ...
Structure **Symbols**, Attributes, Entity, Root Element , Empty Element, Comments, ...
www.educationinfoindia.com/careernews/pgdca.htm - 23k - <u>Cached</u> - <u>Similar pages</u>

[PPT] <u>www.ece.utexas.edu/~chase/EE380L_Fall_2003/Slides/Reflection%20and%20Class%20Loading.ppt</u>
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
... Some instructions (eg, call, mov) make **reference** to **symbols**. ... Lazy **resolution**
results in resolving **symbols** only when they are used, for example a ...
<u>Similar pages</u>

Compiling <u>Java</u> - ahead-of-time compilation, cross compilers
... **Symbol** Table Generation; Static **Reference Resolution** and Linking ... compiled **Java**
are more a direct **result** of reduced **symbol** table information in the ...
www.retrino.com/Articles/CompilingJava/ - 38k - <u>Cached</u> - <u>Similar pages</u>

[PPT] <u>JVM & Jini</u>
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
... **Resolution**:. checks that a symbolic **reference** is correct, and ... Needed for
resolution:. Constant pool is a "**Symbol** table" ...
rts-lab.eas.asu.edu/document/JVM.ppt - <u>Similar pages</u>

[PDF] <u>Emulation of an unconventional model of computation in Java</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... data is **stored** in infinite **resolution** images. The model has super-Turing ...
use the **Java** Observer-Observable implementation, observable **references** ...
www.cs.may.ie/~tnaughton/pubs/varasto/DN2002c.pdf - <u>Similar pages</u>

[PPT] <u>Do Visualizations Improve Program Comprehensibility? Experiments ...</u>
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
... The expression on the right is evaluated and the **result** is **stored** in the ...
When **referring** to a pixel in a **Java** program, we use a coordinate system ...
www.eng.auburn.edu/~cross/comp1210/ lecture_notes/02_LectureNotes.ppt - <u>Similar pages</u>

Special Edition Using <u>Java</u> 1.1, Third Edition -- Chapter 50
... In most situations you can achieve similar results using alternate **Java** ...
are not supported in **Java** in any way, although the **Java reference** model is ...
docs.rinet.ru/UJJ11/ch51.htm - 61k - <u>Cached</u> - <u>Similar pages</u>

Tech Info
... This page describes the colors, screen **resolution** and fonts necessary to view

... It is important to have the Microsoft **Symbol** font installed on your ...
www.parthia.com/parthia_techinfo.htm - 23k - Cached - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

Google ▾ | ▾ | 🔍 Search Web ▾ | 📄 | PageRank 🔒 3 blocked | 📝 AutoFill | 🔧 Options

| Java symbol reference resolution re: | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google®   **Web**   Images   Groups^{New!}   **News**   **Froogle**   **more »**

symbol reference resolution dynamic linking   Search

Web   Results **1 - 10** of about **382,000** for <u>**symbol reference resolution dynamic linking**</u>. (0.39 seconds)

<u>Dynamic Linking</u> and Loading
... it puts the address of the **dynamic linker's symbol resolution** routine. ...
reference to a global variable defined in a shared library, the **linker** has to ...
www.iecc.com/linker/linker10.html - 45k - Cached - Similar pages

C++ <u>Reference</u> Guide
... RTLD_LAZY indicates that **symbol resolution** occurs on demand. ... ie, **dynamic**
linking and multithreading, it's an excellent guide for programmers who are ...
www.informit.com/guides/content. asp?g=cplusplus&seqNum=153 - 24k - Cached - Similar pages

<u>Shared Objects and Runtime **Linking**</u>
... The runtime **linker** can rebind all **references** to **symbols** imported from another
... **Resolution** of these **symbols** must be performed by the system loader, ...
www.unet.univie.ac.at/aix/aixprggd/ genprogc/shared_object_runtime_linking.htm - 13k - Cached - Similar pages

<u>Dynamic Linking</u>
... the **dynamic linker** and the program cooperate to resolve symbolic **references**
... because unused **symbols** do not incur the **dynamic linking** overhead. ...
www.linuxbase.org/spec/ELF/ppc64/spec/x954.html - 15k - Cached - Similar pages

<u>Dynamic Linking</u>
... The **dynamic linker** determines the associated **symbol** values, ... the **dynamic**
linker and the program cooperate to resolve symbolic **references** through the ...
www.linuxbase.org/spec/ELF/ppc64/spec/x992.html - 15k - Cached - Similar pages

<u>dlopen(3C)</u>
... give the user direct access to the **dynamic linking** facilities (using the ...
reference to a **symbol** definition is based on a **symbol resolution** order. ...
docs.hp.com/en/B3921-90010/dlopen.3C.html - 32k - Cached - Similar pages

<u>dlopen_ia(3C)</u>
... give the user direct access to the **dynamic linking** facilities (using the ...
the **resolution** of a **symbol reference** to a **symbol** definition is based on a ...
docs.hp.com/en/B2355-60105/dlopen_ia.3C.html - 37k - Cached - Similar pages

<u>Linkers and Loaders | Linux Journal</u>
... of all aspects of **linking**, ranging from relocation and **symbol resolution** to
... **linker** will resolve the **dynamic reference** when my program is loaded. ...
www.linuxjournal.com/article.php?sid=6463 - 67k - Cached - Similar pages

[PDF] <u>Linking Oct. 15, 2002 Linking Oct. 15, 2002 15-213 Linker Puzzles ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... External **reference: reference** to a **symbol** defined in another object file. ...
Dynamic linking can occur when executable is first loaded and run. ...
www.math.umd.edu/~jliu/amsc662/lectures/class15.4up.pdf - Similar pages

[PPT] <u>Dynamic Shared Libraries</u>
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
... At GOT+8, it puts the address of the **dynamic linker's symbol resolution** routine.
... The relocation entry's **symbol reference** points to the **symbol** in the ...
www.csie.nctu.edu.tw/~shieyuan/ course/spb/lectures/sp16.ppt - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Free! Google Desktop Search: Search your own computer.

| symbol reference resolution dynamic | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google